



We create chemistry

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date : 2022/07/26
Version: 3.1

Page: 1/10
(30052793/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Recommended use of the chemical and restriction on use

Recommended use*: engine coolant
Unsuitable for use: None known

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA
Fuel and Lubricant Solutions

E-mail address: RegXcellenceFuelLubes@basf.com

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: inhibitors

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 2/10
(30052793/SDS_GEN_CA/EN)

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Repr.	1B (fertility)	Reproductive toxicity
Repr.	1B (unborn child)	Reproductive toxicity
STOT RE	2	Specific target organ toxicity — repeated exposure

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.
H360	May damage fertility. May damage the unborn child.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust/gas/mist/vapours.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P314	Get medical advice/attention if you feel unwell.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P308 + P311	IF exposed or concerned: Call a POISON CENTER or physician.
P330	Rinse mouth

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 3/10
(30052793/SDS_GEN_CA/EN)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

ethylene glycol

CAS Number: 107-21-1

Content (W/W): $\geq 75.0 - 100.0\%$

Synonym: 1,2-Ethandiol; Ethylene glycol

Hexanoic acid, 2-ethyl-, sodium salt

CAS Number: 19766-89-3

Content (W/W): $\geq 1.0 - < 5.0\%$

Synonym: Sodium 2-ethylhexanoate; 2-Ethylhexanoic acid sodium salt

Decanedioic acid, disodium salt

CAS Number: 17265-14-4

Content (W/W): $\geq 1.0 - < 3.0\%$

Synonym: Decanedioic acid disodium salt

Boron sodium oxide (B₄Na₂O₇)

CAS Number: 1330-43-4

Content (W/W): $\geq 0.3 - < 1.0\%$

Synonym: Boric acid (H₂B₄O₇), disodium salt

4. First-Aid Measures

Description of first aid measures

General advice:

Immediately remove contaminated clothing. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). First aid personnel should pay attention to their own safety.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Administer 50 ml of pure ethanol in a drinkable concentration.

Most important symptoms and effects, both acute and delayed

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 4/10
(30052793/SDS_GEN_CA/EN)

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Information on: ethylene glycol

Symptoms: Overexposure may cause: corneal injury, severe pain, skin irritation, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Place absorbed material in the same container as the spilled substance/product for disposal.

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 5/10
(30052793/SDS_GEN_CA/EN)

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Shut containers immediately after taking product because product takes up the humidity of air.

Protection against fire and explosion:

Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Unsuitable materials for containers: Galvanized carbon steel (Zinc), Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Storage in galvanized containers is not recommended.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

ethylene glycol	ACGIH, US:	TWA value 25 ppm Vapor fraction ;
	ACGIH, US:	STEL value 50 ppm Vapor fraction ;
	ACGIH, US:	STEL value 10 mg/m ³ Aerosol, inhalable. ;

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Hand protection:

Wear chemically impervious protective gloves.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen based on level of activity and exposure., Protective coverall and/or impermeable apron and boots as necessary.

General safety and hygiene measures:

Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	liquid
Odour:	of glycol
Odour threshold:	not determined

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 6/10
(30052793/SDS_GEN_CA/EN)

Colour:	blue-green	
pH value:	7.1 - 7.3	
Melting temperature:	No applicable information available.	
Freezing point:	No applicable information available.	
Boiling point:	165 °C	(ASTM D1120)
Sublimation point:	No applicable information available.	
Flash point:	127 °C	(ISO 2719)
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	> 440 °C	(DIN 51794)
Vapour pressure:	0.2 hPa (20 °C)	
Density:	1.122 g/cm3 (20 °C)	(DIN 51757)
Relative density:	No applicable information available.	
Vapour density:	No applicable information available.	
Partitioning coefficient n-octanol/water (log Pow):	Study scientifically not justified.	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No decomposition if correctly stored and handled.	
Viscosity, dynamic:	No applicable information available.	
Viscosity, kinematic:	20 - 30 mm2/s (20 °C)	(DIN 51562)
Solubility in water:	soluble, The product has not been tested. The statement has been derived from the properties of the individual components.	
Miscibility with water:	miscible in all proportions	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	soluble solvent(s): polar solvents,	
Molar mass:	No applicable information available.	
Evaporation rate:	not determined	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
No corrosive effect on metal.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 7/10
(30052793/SDS_GEN_CA/EN)

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

No conditions to avoid anticipated.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion.

Oral

Information on: ethylene glycol

Type of value: LD (human)

Species: human (male/female)

Value: approx. 1,600 mg/kg

Inhalation

No applicable information available.

Assessment other acute effects

Based on available data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. Human data do not fully exclude a skin sensitizing potential.

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 8/10
(30052793/SDS_GEN_CA/EN)

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

Information on: ethylene glycol

Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Contains a component that causes reproductive toxicity in test animals.

Information on: Boron sodium oxide (B4Na2O7)

Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.

Teratogenicity

Assessment of teratogenicity: Contains a component that causes teratogenicity in test animals.

Information on: Boron sodium oxide (B4Na2O7)

Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.

Information on: ethylene glycol

Assessment of teratogenicity: Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted. Embryotoxicity and teratogenicity was observed in animal studies, in the absence of maternal toxicity. However, the relevance of this result for humans is unclear.

Other Information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 9/10
(30052793/SDS_GEN_CA/EN)

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential

Study scientifically not justified.

Bioaccumulation potential

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Additional information

Adsorbable organically-bound halogen(AOX):

This product contains no organically-bound halogen.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with local authority regulations.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Safety Data Sheet

GLYSANTIN® G48® blue-green also suitable for electric vehicles

Revision date: 2022/07/26
Version: 3.1

Page: 10/10
(30052793/SDS_GEN_CA/EN)

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released; restriction on quantity / not listed

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2022/07/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

GLYSANTIN® G48® blue-green also suitable for electric vehicles is a registered trademark of BASF Canada or BASF SE
END OF DATA SHEET